

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	91	((("6038223") or ("5875211") or ("5289471") or ("5400320") or ("5402447") or ("5406562") or ("5453997") or ("6226279") or ("6226279") or ("6278696") or ("6438119") or ("6614810") or ("6633552") or ("6633558") or ("6654613") or ("6731948") or ("6791475") or ("5903552") or ("6016428") or ("6101168") or ("5390197") or ("5432822") or ("5606569") or ("5867510") or ("5905756") or ("5954834") or ("6011796") or ("6049716") or ("6154653") or ("6212203") or ("6212203") or ("6389292") or ("6434399") or ("6832314") or ("6836665") or ("4773001") or ("5195093") or ("4517644") or ("4577313") or ("5410732") or ("5412650") or ("5706627") or ("5923662") or ("5966897") or ("6370153") or ("5764632") or ("5901160") or ("6252860") or ("5978368") or ("6430163").pn.)).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 11:19
S2	87	((("6532227") or ("5345467") or ("5179571") or ("5365516") or ("5526357") or ("5210751") or ("6075994") or ("4553263") or ("4573207") or ("5745842") or ("5761622") or ("5787338") or ("5815816") or ("6173182") or ("6249584") or ("4864564") or ("5394540") or ("5542115") or ("5570413") or ("5577029") or ("5613212") or ("5689807") or ("5697055") or ("5713072") or ("5729827") or ("5761195") or ("5787346") or ("5812607") or ("5825764") or ("5842125") or ("5878036") or ("5881368") or ("5884196") or ("5898679") or ("5923649") or ("5991284") or ("6021123") or ("6085108") or ("6091717") or ("6094426") or ("6101179") or ("6108520") or ("6118983") or ("6141546") or ("6178337") or ("6185431") or ("6240071") or ("3646580") or ("4001693") or ("4027243").pn.)).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 11:47
S3	57	((("4144409") or ("4251801") or ("4394775") or ("4495647") or ("4507777") or ("4587652") or ("4612415") or ("4777655") or ("RE32789") or ("4791570") or ("4815073") or ("4876738") or ("4902948") or ("4918746") or ("4967407") or ("5008953") or ("5054052") or ("5040237") or ("5182753") or ("5187807") or ("5193209") or ("5208756") or ("5212803") or ("5255292") or ("5255307") or ("5327467") or ("5334974") or ("5337044") or ("5353331") or ("5369681").pn.)).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 11:53
S4	5452734	((("base station" or "access point") and ("mobile station" or "access terminal")) and transmi\$5 or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 10:50
S5	159	S4 and ("forward packet data channel" or "FPDC" or "forward packet data control channel" or "FPDCC")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:05
S6	13	S4 and (("control channel" and "slot format") and ("quality indicator") and ("control message"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:07

S7	155	S5 and (control message and slot format)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:06
S8	6	S5 and ("control message" and "slot format")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:07
S9	13	((("control channel" and "slot format") and ("quality indicator") and ("control message" ))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:08
S10	312	"control channel" and "HDR" and "communication"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:09
S11	2	S10 and ("control message" with ((quality or information) adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:11
S12	17	("control message" with ((quality or information) adj bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:11
S14	6375	"sequence generator"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:55
S15	566	S14 and ("system time" or "computer time" or "clock time" or "real time clock")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 11:56
S16	27	S15 and (metric with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 12:07
S27	66	((2\$scrambl\$3 or 2\$crypt\$3 or 2\$cypher\$3 or 2\$cipher\$3 or 2\$cod\$3) with ((system or computer or master) adj\$2 (clock or time or hop)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:16

S28	23435	"380"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:17
S29	88130	"370"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:17
S30	61596	"375"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:17
S31	2139	S28 and S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:18
S32	5008	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:18
S34	23435	"380"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:27
S35	88130	"370"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:27
S36	5008	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:27
S37	464	S36 and "control message"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:28
S38	14	("control message") with ("scramble information bits" or "information bit" or "quality indicator bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:31

S39	1	((time adj dependent) with ((scrambl\$3 or inscrabl\$3) near sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:36
S41	334	((time) same ((scrambl\$3 or unscrambl\$3) near sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:37
S42	525	((time) same ((scrambl\$3 or encrypt\$3 or cypher\$3 or cipher\$3) near sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:37
S43	7	((time near system) same ((scrambl\$3 or encrypt\$3 or cypher\$3 or cipher\$3) near sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:38
S44	15	((time or clock) near (computer or master or system)) same ((scrambl\$3 or encrypt\$3 or cypher\$3 or cipher\$3) near sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:54
S45	56	S42 and ((information or quality) adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:55
S46	140	(scrambl\$3 with sequence) same (uplink or downlink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:53
S47	132	((scrambl\$3 with sequence) same (uplink or downlink)) and (tim\$3 or hope or clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:54
S48	118	S47 and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:24
S49	2	"6442152".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:57

S50	2	"6201811".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:58
S51	6	("5504773" or "5390197" or "5142539").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:59
S52	7881	("sequence generator" or "pseudo random sequence") and (time or "system time" or clock or slot or "slot index"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 09:29
S53	14	("control message" with "information bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:28
S54	2	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:27
S55	178	("control channel" same "information bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:28
S56	1312	("control channel" and "information bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:28
S57	682	("control message" and "information bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:28
S58	79	S57 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:28
S60	2	S58 and bitwise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:34

S61	54	S58 and gate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 18:35
S65	2313	((("sequence generator" or "pseudo random sequence") with (time or "system time" or clock or slot or "slot index"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 10:15
S66	529	S65 and ("control message" or "information bit" or "input data")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 09:31
S67	240	S65 and ("control message" or "information bit")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 09:31
S68	141	S67 and ("exclusive OR gate" or gate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 09:32
S69	44	S68 and ((scrambl\$3 or encrypt\$3 or cypher\$3 or cipher\$3) with (message or data or information or input or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 09:33
S70	47	((("sequence generator" or "pseudo random sequence") with ("system time" or "system clock" or "computer clock" or "real time clock" or "computer time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 10:56
S71	1776	((("system time" or "system clock" or "computer clock" or "real time clock" or "computer time") with ("time interval" or "subinterval" or "sub interval"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 10:58
S72	37	S71 and metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:01
S73	794	S71 and ("communication" or "Transreceiver" or "base station")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:01

S74	37	S71 and metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:02
S75	32	S73 and metric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:14
S76	239	S71 and ("370"/\$ or "375"/\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:15
S77	160	S76 and ("timing diagram" or "timing interval" or "timing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:17
S78	1	S77 and ("subinterval" or "sub interval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:20
S79	150	S76 and ((rules or steps or metric) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 11:21
S80	34	S79 and (slot or "slot index") and unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:08
S81	5	((message or data or signal) with ((multiple or various) adj (slot or hop) adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:12
S82	7	((message or data or signal) with ((multiple or various or different) adj (slot or hop) adj format))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:14
S83	605	((determin\$3 or decid\$3 or "find out") with ((slot or hop) adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:17



S84	184	S83 and ("time interval" or "sub interval" or "subinterval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:17
S85	97	S84 and (map\$4 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 12:19
S86	2	"4811394".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:39
S87	2	"20030164752"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:47
S88	173660	(((determin\$3 or calculat\$3 or decid\$3 or "find out") adj\$2 (metric or matrix or schedule or steps)) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:56
S89	169640	(((determin\$3 or calculat\$3 or decid\$3 or "find out") adj\$2 (metric or schedule or steps)) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:51
S90	167662	(((determin\$3 or calculat\$3 or decid\$3 or "find out") adj\$1 (metric or schedule or steps)) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S91	13590	S90 and ("370"/\$ or "375"/\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:52
S92	81	S91 and ("sub interval" or "subinterval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:53
S93	129129	(((determin\$3 or calculat\$3 or decid\$3 or "find out") adj\$2 (metric or matrix or schedule )) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 16:56



S94	124721	((((determin\$3 or calculat\$3 or decid\$3 or "find out") adj\$2 (metric or schedule )) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:44
S95	48	((((determin\$3 or calculat\$3 or decid\$3 or "find out") adj (metric or schedule )) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:02
S96	2	"6108372".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:02
S97	6	("5574984"   "5710977"   "5724666"   "5970061"   "6067324"   "6556845").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/28 17:24
S98	3480	S94 and ("subinterval" or "sub interval" or "first interval" or "second interval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:45
S99	582	S98 and ("370"/\$ or "375"/\$ or "455"/\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:40
S10 0	3	S99 and ("sequence generator" or "random generator")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:38
S10 1	65	S99 and (metric or shedule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:41
S10 2	48	((((determin\$3 or calculat\$3 or decid\$3 or "find out") adj (metric or schedule )) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:45
S10 3	147	((((determin\$3 or calculat\$3 or decid\$3 or "find out") near (metric or schedule )) with ("time interval" or slot or "slot time" or "hop time"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 08:46
S10 4	5	S103 and ("subinterval" or "sub interval" or "first interval" or "second interval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/28 17:45

S10 6	1684	((map\$3 or match\$3) with ((metric or "time slot" or slot or "time interval") and sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 10:16
S10 7	751	S106 and ("370"/\$ or "375"/\$ or "455"/\$ or "340"/\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:42
S10 8	86	S107 and ("sequence generator" or "random number")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 10:16
S11 3	153468	((determin\$3 or calculat\$3) with ("subinterval" or "sub interval" or "interval" or "time interval" or "timeinterval"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:42
S11 4	19292	((determin\$3 or calculat\$3) adj ("subinterval" or "sub interval" or "interval" or "time interval" or "timeinterval"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:42
S11 5	2722	S114 and ("370"/\$ or "375"/\$ or "455"/\$ or "340"/\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 11:43
S11 6	59	S115 and ("sub interval" or "subinterval")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:22
S11 8	2	"6882636".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:28
S12 2	2	"6339646".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:37
S12 3	2	"6141374".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/29 13:42